



Order No.: 256
Protocol of test sample No.: 1217
Date of received: Tests started: Tests finished:
19.6.2026 19.6.2026 25.6.2026

Order:

Natios Health, s.r.o.
Nádražní 801/99
702 00 Ostrava

Name of sample:

NATIOS Magnesium Bisglycinate Drink + B6, 375 mg, broskev

Producer: Natios Health, s.r.o.

Country of origin: Česká republika

Weight:

Date of production: Date of durability:

06/2028

Marking: šarže: L2606011

Composition:

Sampling: Samples were collected and delivered to tests authority. The examination was done according to the requested range.

Protocol made by: Doleželová Petra

Quality management Standard according to internal procedures

Chemical examination

Analyses:	Method:	Results:	Units:
Magnesium (Mg)	PP CH 42	379,9	mg/6,5g

The results of testing and examination relate only to the object of the testing. This Protocol does not serve as substitution for the approval of the product. The protocol must not be reproduced in other way than in its full version without written approval of the testing laboratory.

Character * test outside the scope of accreditation The character ° indicates the value determined by recalculation. KTJ-colony forming units; The uncertainty of the result is processed (extended uncertainty $k = 2$, which corresponds to a confidence level of approximately 95%) and is available in the laboratory; the data in the box were supplied by the contracting authority and the laboratory is not responsible for them; ND - laboratory is able to update normative documents identifying test procedures, SA = subcontracted accredited, FA - application of granted flexible scope of accreditation

Brno,
Charged invoice

25.6.2026

Protocol checked by:
MVDr. Pavel Mikuláš

End of protocol

