



Order No.:

833

Order:

Protocol of test sample No.:

3589

Natios Health, s.r.o.

Date of received:

Tests started :

Tests finished:

24.9.2025

24.9.2025

25.9.2025

Trocnovská 1088/2a

702 00 Ostrava 2, Přívoz

Name of sample:

NATIOS Magnesium Bisglycinate 500 mg + B6

Producer: Natios Health, s.r.o.

Country of origin: Česká republika

Weight:

Date of production:

Date of durability:

08/2027

Marking: L2508202

Composition:

Sampling: Samples were collected and delivered to tests authority. The examination was done according to the requested range.

Protocol made by: Langauf Aleš Ing.

Quality management Standard according to internal procedures

Chemical examination

Analyses:

Method:

Results:

Units:

Magnesium (Mg)

PP CH 42

105,6 mg/cps

Average weight of 1 capsule

PP CH 01a (ČSN 575020; ČSN 57 5019)

0,6043 g

The results of testing and examination relate only to the object of the testing. This Protocol does not serve as substitution for the approval of the product. The protocol must not be reproduced in other way than in its full version without written approval of the testing laboratory.

Character * test outside the scope of accreditation The character ° indicates the value determined by recalculation. KTJ-colony forming units; The uncertainty of the result is processed (extended uncertainty $k = 2$, which corresponds to a confidence level of approximately 95%) and is available in the laboratory; the data in the box were supplied by the contracting authority and the laboratory is not responsible for them; ND - laboratory is able to update normative documents identifying test procedures, SA = subcontracted accredited, FA - application of granted flexible scope of accreditation

Brno,

25.9.2025

Protocol checked by:

Charged invoice

MVDr. Pavel Mikuláš

End of protocol

